



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/660,753      | 09/13/2000  | Chin-Huang Chang     | 6319-56134          | 7237             |

7590 02/13/2002  
Klarquist Sparkman Campbell  
Leigh & Whinston LLP  
One World Trade Center Suite 1600  
121 S W Salmon Street  
Portland, OR 97204

EXAMINER

VINH, LAN

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|----------|--------------|

1765

DATE MAILED: 02/13/2002

2

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/660,753

Applicant(s)

CHANG, CHIN-HUANG

Examiner

LAN VINH

Art Unit

1765

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 13 September 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

**DETAILED ACTION**

***Claim Rejections - 35 USC § 112***

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 19, 20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In line 13 of claim 19, lines 2 and 4 of claim 20, the term "predetermined" is vague and indefinite because it is unclear whether the predetermined value is part of the claim.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-6, 8-12, 14-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dery et al (US 6,074,895 ) in view of Hudak et al ( US 5,656,552 )

Dery discloses a method for forming a semiconductor flip-chip assembly/package.

This method comprises the step of:

joining/attaching the first surface 111 of a IC chip/semiconductor unit to a chip carrier/seating apparatus 120, the first surface 111 faces chip carrier 120 whereas the second surface 110 of the IC chip is exposed ( col 4, lines 66-67 and fig. 1E )

Art Unit: 1765

using RIE (reactive ion etching ) plasma to modify the second surface 110 of the IC chip/semiconductor unit (col 2, lines 66-67; col 3, lines 61-62 and fig. 1D) reads on etching the semiconductor unit from a second surface of the semiconductor unit .

Unlike the instant claimed invention as per claims 1, 11, Dery does not specifically disclose etching the second surface of the IC chip/semiconductor unit until the size ( thickness ) of the semiconductor unit meets an expected specification/a specified range of thickness between 2 mil-6mil. The claimed term "an expected specification" is defined as a thickness ranging from 2 mil-6mil in line 8 on page 7 of the instant specification.

However, Hudak discloses a method for making thin conformal IC chip module comprises the step of using RIE etching/plasma etching to thin down the thickness of the IC chip to 50 microns or approximately 2 mil ( 25.4 microns equal 1 mil ) ( see prior art of record for evidence of this basis ) ( col 8, lines 20-22 ). Husak's etching step reads on etching the surface of the IC chip/semiconductor unit until the size ( thickness ) of the semiconductor unit meets an expected specification/a specified range of thickness between 2 mil-6mil.

Since both Dery and Hudak are concerned with method using RIE etching to modify/reduce the thickness of a IC chip, one skilled in the art at the time the invention was made would have found it obvious to modify Dery by using the step of etching the surface of the IC chip/semiconductor unit until the size ( thickness ) of the semiconductor unit meets an expected specification/a specified range as per Hudak especially since Hudak discloses that by thinning the IC chip/die to a thickness less than

Art Unit: 1765

or equal to 50 microns/ 2mil , a planarization step required by prior art method may be eliminated ( col 4, lines 65-67 )

Regarding claims 2, 3,12, Dery discloses plasma RIE etching using oxygen gas ( col 3, lines 59-61 )

The limitations as recited in claims 4-5 has been discussed above in paragraph 4.

Regarding claims 6, 8, Dery discloses using an encapsulant/fixture 140 to cover/shield the IC chip/semiconductor unit and chip carrier ( col 4, lines 61-65 ). Fig. 1E shows that encapsulant/fixture 140 covers/shield the IC chip and carrier for preventing the IC chip and carrier from being etched.

Regarding claim 9, Dery discloses joining/attaching the IC chip to the chip carrier by solder bumps/bump connection ( col 4, lines 16-17 )

Regarding claims 10, 14 Dery discloses using a chip carrier ( col 3, line 43), establishing electrical contact between the solder bumps on the first surface 110 ( col 4, lines 18-20 )

Regarding claim 15, fig. 1E shows that first surface 111 is prevented by chip carrier/seating apparatus 120 from being etched since Dery discloses that the chip structure depicted in fig. 1E is being plasma treated ( col 4, lines 61-63 )

Regarding claims 16-17, although Dery discloses the surface of the IC chip joins the chip carrier by epoxy resin solder/adhesive material and solder bumps , Dery does not disclose moving the IC chip/semiconductor unit to another carrier after the etching step. Hudak also teaches transferring/moving the die/IC chip to other handle wafer/carrier after the etching step ( col 8, lines 27-29 ). Hence, one skilled in the art

Art Unit: 1765

would also have found it obvious to modify Dery by adding the step transferring/moving the die/IC chip to other handle wafer/carrier after the etching step so that die/chip that are not damaged during the thinning process may be functionally tested and positionally identified ( col 3, lines 34-36 )

Regarding claim 18, Dery discloses moving the IC chip to a chip carrier to form flip-chip on board assembly/package having contact/lead 126 ( col 4, lines 16-18 )

5. Claims 7, 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dery et al (US 6,074,895 ) in view of Hudak et al ( US 5,656,552 ) and further in view of Siniaguine ( US 6,184,060 )

Dery as modified by Hudak has been described above in paragraph 4. Unlike the instant claimed inventions as per claims 7, 13, Dery and Hudak do not disclose the step of grinding the IC chip/semiconductor unit to a expected specification/ a specified thickness range before joining the IC chip to the carrier.

However, Siniaguine discloses a method for fabricating semiconductor die comprises the step of grinding the semiconductor wafer to reduce the thickness to a specified thickness before dicing the wafer into chip ( col 8, lines 48-50 )

Hence, one skilled in the art would have found it obvious to modify Dery and Hudak by adding the step of grinding the semiconductor wafer to reduce the thickness as per Siniaguine since Siniaguine states that silicon is removed from the semiconductor wafer/semiconductor unit by known method such as mechanical grinding to reduce the wafer thickness to a specified range ( col 8, lines 47-50 )

Application/Control Number: 09/660,753  
Art Unit: 1765

6. Claims 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Siniaguine (US 6,184,060) in view of Hudak et al (US 5,656,552)

Siniaguine discloses a method for fabricating semiconductor chip/die, the die having a first surface and second surface. This method comprises the steps of:

dicing the wafer into a plurality of chips/die (col 8, lines 50-51)

placing the chip/die into the chip holder/seating apparatus to expose one surface of the die (col 8, lines 56-58)

plasma etching the chip/die to thin/reduce the thickness of the exposed surface of the chip/die (col 8, lines 52-54), fig. 18 shows that the chip holder 1610/seating apparatus shielding one surface of the chip/die from being etched /immunizing one surface of the chip/die against etching

Unlike the instant claimed invention as per claim 19, Siniaguine does not specifically disclose stopping the etching step when the size (thickness) of chip/die meets an expected specification/a specified range of thickness between 2 mil-6mil. The claimed "an expected specification" is defined as a thickness ranging from 2 mil-6mil in line 8 on page 7 of the instant specification.

However, Hudak discloses a method for making thin conformal IC chip module comprises the step of using RIE etching/plasma etching to thin down the thickness of the IC chip/die to 50 microns or approximately 2 mil (25.4 microns equal 1 mil) (see prior art of record for evidence of this basis) (col 8, lines 20-22). Husak's etching step reads on stopping the etching when the size (thickness) of the IC chip meets an expected specification/a specified range of thickness between 2 mil-6mil.

- Application/Control Number: 09/660,753  
Art Unit: 1765

Since both Siniaguine and Hudak are concerned with method using plasma etching to reduce the thickness of a IC chip, one skilled in the art at the time the invention was made would have found it obvious to modify Siniaguine by stopping the etching when the size ( thickness ) of the semiconductor unit meets an expected specification/a specified range as per Hudak especially since Hudak discloses that by thinning the IC chip/die to a thickness less than or equal to 50 microns/ 2mil , a planarization step required by prior art method may be eliminated ( col 4, lines 65-67 )

Unlike the instant claimed invention as per claim 19, Siniaguine also does not specifically disclose moving the chip/die from the chip holder/seating apparatus to a chip carrier.

Hudak also discloses moving the thinned die/chip from the chip holder to a chip module/chip carrier, the chip module/carrier is connected electrically with the dice ( col 8, lines 31-37 )

Hence, one skilled in the art would also have found it obvious to modify Siniaguine by adding the step of moving the thinned die/chip from the chip holder to a chip module/chip carrier as per Hudak because Hudak discloses that moving the thinned die/chip to a chip module/chip carrier is one of a final step in the die thinning process ( col 7, lines 10-12 )

The limitations as recited in claim 20 has been discussed above in paragraph 6.



Application/Control Number: 09/660,753  
Art Unit: 1765

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Myer et al ( US 4,872,945 ) discloses that 25.4 microns being equal to 1mil ( col 5, lines 20-22 )


### **Conclusion**

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAN VINH whose telephone number is 703 305-6302. The examiner can normally be reached on Monday-Friday 8:30 -6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BENJAMIN L UTECH can be reached on 703 308-3836. The fax phone numbers for the organization where this application or proceeding is assigned are 703 872-9310 for regular communications and 703 872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 308-0661.

LV  
February 8, 2002

  
BENJAMIN L UTECH  
SUPERVISOR/PATENT EXAMINER  
TECHNICAL CENTER 1700